

# Low-Emitting Materials Certificate of Compliance

Awarded to: **FORMULATORS OF SANTA ANA, CA**  
1790 BOYD AVENUE, ZIP CODE: 92705

Category: Construction Materials - Interior Adhesives, Glues, Sealants & Coatings  
Cert. Scheme: VOC Emissions

Accredited  
Compliance  
Designation: California Dept. of Public Health Standard Method v1.2 classroom, private office

\*Conforms  
With LEED v4 ID+C, BD+C low-emitting material  
Collaborative for High Performance Schools EQ 7.1.1 adhesives & sealants  
Criteria of MAS Certified Green® Program low-emitting material  
TVOC Emissions at 14-days less than 0.5 mg/m<sup>3</sup>

Bracketed  
Products: Aquaflex VCT (100P), Aquaflex LVT (110P), Aquaflex VSF (120P)

Test Date  
& Report No.: 12/11/2017  
1701784

Certificate No.: MAS1701784 valid December 2017 to December 2018



Testing Cert. # 2925.01  
Product Cert. # 2925.02

Product Certifier, MAS Certified Green CT

Laboratory Testing by [Materials Analytical Services, LLC](#) - ISO/IEC 17025  
3<sup>rd</sup> Party Product Certification by [MAS Certified Green®](#) - ISO/IEC 17065  
\*outside of A2LA accreditation scope

